



## ***SCIENTIFIC PAPERS***

1. Bencsik A, Philippe S, Debeer S *et al.* Scrapie strain transmission studies in ovine PrP transgenic mice reveal dissimilar susceptibility. *Histochem Cell Biol.* 2007;127:531-9.
2. Chen B, Newnam GP and Chernoff YO. Prion species barrier between the closely related yeast protein is detected despite coaggregation. *Proc Natl Acad Sci U S A.* 2007;104 (8): 2791-6
3. Cooke CM, Rodger J, Smith A *et al.* Fate of prions in soil: detergent extraction of PrP from soils. *Environ Sci Technol.* 2007;41(3):811-7.
4. Dietz K, Raddatz G, Wallis J *et al.* Blood transfusion and spread of variant Creutzfeldt-Jakob disease. *Emerg Infect Dis.* 2007;13(1):89-96.
5. Di Fede G, Giaccone G, Limido L *et al.* The epsilon isoform of 14-3-3 protein is a component of the prion protein amyloid deposits of Gerstmann-Straussler-Scheinker disease. *J Neuropathol Exp Neurol.* 2007;66(2):124-30.
6. DeMarco ML and Daggett V. Molecular mechanism for low pH triggered misfolding of the human prion protein. *Biochemistry.* 2007;46(11):3045-54.
7. Espinosa JC, Morales M, Castilla J *et al.* Progression of prion infectivity in asymptomatic cattle after oral bovine spongiform encephalopathy challenge. *J Gen Virol.* 2007;88(Pt 4):1379-83.

8. Everington D, Smith AJ, Ward HJ *et al.* Dental treatment and risk of variant CJD - a case control study. *Br Dent J.* 2007;**202**(8):E19; discussion 470-1.
9. Furuoka H, Yabuzoe A, Horiuchi M *et al.* Species-specificity of a panel of prion protein antibodies for the immunohistochemical study of animal and human prion diseases. *J Comp Pathol.* 2007;**136**(1):9-17.
10. Glaysher BR and Mabbott NA. Role of the draining lymph node in scrapie agent transmission from the skin. *Immunol Lett.* 2007;**109**(1):64-71.
11. Hoffmann C, Ziegler U, Buschmann A *et al.* Prions spread via the autonomic nervous system from the gut to the central nervous system in cattle incubating bovine spongiform encephalopathy. *J Gen Virol.* 2007;**88**(Pt 3):1048-55.
12. Kuczus T, Grassi J, Karch H *et al.* Binding of N- and C-terminal anti-prion protein antibodies generates distinct phenotypes of cellular prion proteins (PrPC) obtained from human, sheep, cattle and mouse. *FEBS J.* 2007;**274**(6):1492-502.
13. Lacroux C, Corbiere F, Tabouret G *et al.* Dynamics and genetics of PrPSc placental accumulation in sheep. *J Gen Virol.* 2007;**88**(Pt 3):1056-61.
14. Larramendy-Gozalo C, Barret A, Daudigeos E *et al.* Comparison of CR36, a new heparan mimetic, and pentosan polysulfate in the treatment of prion diseases. *J Gen Virol.* 2007;**88**(Pt 3):1062-7.
15. Meade-White K, Race B, Trifilo M *et al.* Resistance to chronic wasting disease in transgenic mice expressing a naturally occurring allelic variant of deer prion protein. *J. Virol.* 2007;**81**(9):4533-9.
16. McHugh JC, Bradley D, Hutchinson M *et al.* Variant Creutzfeldt-Jakob disease: first two indigenous cases in Republic of Ireland. Case report and perspective. *Eur J Neurol.* 2007;**14**(4):467-9.
17. Norstrom EM, Ciaccio MF, Rassbach B *et al.* Cytosolic prion protein toxicity is independent of cellular prion protein expression and prion propagation. *J Virol.* 2007;**81**(6):2831-7.

18. Peden AH, Ritchie DL, Uddin HP *et al.* Abnormal prion protein in the pituitary in sporadic and variant Creutzfeldt-Jakob disease. *J Gen Virol*. 2007 Mar;88(Pt 3):1068-72.
19. Rainov NG, Tsuboi Y, Krolak-Salmon P *et al.* Experimental treatments for human transmissible spongiform encephalopathies: is there a role for pentosan polysulfate? *Expert Opin Biol Ther*. 2007;7(5):713-26.
20. Saunders GC, Griffiths PC, Cawthraw S *et al.* Polymorphisms of the prion protein gene coding region in born-after-the-reinforced-ban (BARB) bovine spongiform encephalopathy cattle in Great Britain. *J Gen Virol*. 2007;88(Pt 4):1374-8.
21. Seidel B, Thomzig A, Buschmann A *et al.* Scrapie Agent (Strain 263K) Can Transmit Disease via the Oral Route after Persistence in Soil over Years. *PLoS ONE*. 2007;92:e435.
22. Tyshenko MG. Bovine spongiform encephalopathy and the safety of milk from Canadian dairy cattle. *Vet Rec*. 2007 Feb 17;160(7):215-8. Review.
23. Wells GA, Konold T, Arnold ME *et al.* Bovine spongiform encephalopathy: the effect of oral exposure dose on attack rate and incubation period in cattle. *J Gen Virol*. 2007;88(Pt 4):1363-73.
24. Yokoyama T, Shimada K, Masujin K *et al.* Both host prion protein 131-188 subregion and prion strain characteristics regulate glycoform of PrP(Sc). *Arch Virol*. 2007;152(3):603-9.
25. Zanusso G, Polo A, Farinazzo A *et al.* Novel prion protein conformation and glyctype in Creutzfeldt-Jakob disease. *Arch Neurol*. 2007;64(4):595-9.
26. Opinion of the Scientific Panel on Biological Hazards on the CRL report on batch testing of TSE rapid tests: sample selection and test sensitivity issues. *The EFSA Journal* 2007;445:1-18
27. Opinion of the Scientific Panel on Biological Hazards on quantitative histological studies and the re-assessment of the BSE related risk of bovine intestines after processing into natural sausage casings. *The EFSA Journal* 2007;464:1-14.

28. Opinion of the Scientific Panel on Biological Hazards on a request from the European Commission on the quantitative risk assessment on the residual BSE risk in sheep meat and meat products. *The EFSA Journal* 2007;442:1-44.